### **Drug Facts**

## Active ingredient Camphorated phenol (camphor 10.8% and phenol 4.7%)...

Purposes

- for temporary relief of pain and itching associated with cold sores and fever blisters
   first aid to help prevent infection

# Warnings For external use only Do not use

Do not use

Over large areas of the body with a bandage

Ask a doctor before use if you have

a deep or puncture wound animal bites serious burns

When using this product do not use in or near the eyes. If contact occurs, rinse eyes thoroughly with water and obtain medical attention.

Stop use and ask a doctor if

Condition worsens symptoms persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Do not induce vomiting before contacting medical help or a Poison Control Center.

### Directions

- adults and children 2 years of age and over:
- acuts and critical 2 years of age and over.

   dean the affected area

   apply a small amount of this product to the cold sore or fever blister 1 to 3 times daily

   children under 2 years of age: ask a doctor

### Other information

■ store at room temperature. Avoid excessive heat above 40°C (104°F). ■ close cap tightly after use

Inactive ingredients colloidal silicon dioxide, eucalyptus oil, glycerin, light mineral oil

Questions or comments? 1-855-602-2676 weekdays 9 AM to 5 PM EST